

SMART ACCESS PYTHON BINDING USER MANUAL

DATE:

July 10, 2025

API VERSION:

TODO 1.0.0

s.m.s, smart microwave sensors GmbH
In den Waashainen 1
38108 Braunschweig
Germany

Phone: +49 531 39023-0
Fax: +49 531 39023-599
info@smartmicro.de
www.smartmicro.com

CONTENT

1	Smart Access Python Binding	2
1.1	Supported python versions	2
1.2	First steps	2
1.3	Python Binding API	2
2	LEGAL DISCLAIMER NOTICE	3

1 Smart Access Python Binding

The Smart Access Python Bindings allow you to use Smart Access in python. For general information on Smart Access, see [use_manual.pdf](#). The smart access python binding contain a python module for smart access api and one module for each user interface. The python module are in the lib folder.

1.1 Supported python versions

The bindings are dependent on the Python version, the os system and the architecture. The following combinations are currently supported:

os system	architecture	python version
Windows	x86_64	3.8
Linux	x86_64	3.7
Linux	armv8	3.7

1.2 First steps

Before using Smart Access Python Binding, make sure that Smart Access is configured and the example is working fine. The example app shows all connected clients and sends an status request (instruction) to the given client.

1. Configure Smart Access. For the Smart Access configuration look into the Smart Access user manual ([user_manual.pdf](#)) documentation.
2. Configure python enviroment.
 - (a) Windows: Copy the smart access libs from the lib folder into example folder
 - (b) Linux: Add the smart access libs to LD_LIBRARY_PATH and add lib directory to enviroment variabel PYTHON-PATH
3. Execute example app with `python smart_access_example.py <Sensor_Client_ID>`

1.3 Python Binding API

The Api is the similar to the Smart Access API. The API documentation can be viewed as follows:

```
import smart_access_binding as smart_access

print(help(smart_access))
# for a class
print(help(smart_access.InstructionServiceIface))
```

2 LEGAL DISCLAIMER NOTICE

All products, product specifications and data in this document may be subject to change without notice to improve reliability, function or otherwise. Not all products and/or product features may be available in all countries and regions. For legal reasons features may be deleted from products or smartmicro may refuse to offer products. Statements, technical information and recommendations contained herein are believed to be accurate as of the stated date. smartmicro disclaims any and all liability for any errors, inaccuracies or incompleteness contained in this document or in any other disclosure relating to the product.

To the extent permitted by applicable law, smartmicro disclaims (i) any and all liability arising out of the application or use of the product or the data contained herein, (ii) any and all liability of damages exceeding direct damages, including - without limitation - indirect, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of the suitability of the product for particular purposes.

Statements regarding the suitability of products for certain types of applications are based on smartmicro's knowledge of typical requirements that are often placed on smartmicro products in generic/general applications. Statements about the suitability of products for a particular/specific application, however, are not binding. It is the customer's/user's responsibility to validate that the product with the specifications described is suitable for use in the particular/specific application. Parameters and the performance of products may deviate from statements made herein due to particular/specific applications and/or surroundings. Therefore, it is important that the customer/user has thoroughly tested the products and has understood the performance and limitations of the products before installing them for final applications or before their commercialization. Although products are well optimized to be used for the intended applications stated, it must also be understood by the customer/user that the detection probability may not be 100% and that the false alarm rate may not be zero.

The information provided, relates only to the specifically designated product and may not be applicable when the product is used in combination with other materials or in any process not defined herein. All operating parameters, including typical parameters, must be validated for each application by the customer's/user's technical experts. Customers using or selling smartmicro products for use in an application which is not expressly indicated do so at their own risk. This document does not expand or otherwise modify smartmicro's terms and conditions of purchase, including but not being limited to the warranty. Except as expressly indicated in writing by smartmicro, the products are not designed for use in medical, lifesaving or life-sustaining applications or for any other application in which the failure of the product could result in personal injury or death.

No license expressed or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of smartmicro. Product names and markings noted herein may be trademarks of their respective owners.

Please note that the application of the product may be subject to standards or other regulations that may vary from country to country. smartmicro does not guarantee that the use of products in the applications described herein will comply with such regulations in any country. It is the customer's/user's responsibility to ensure that the use and incorporation of products comply with regulatory requirements of their markets.

If any provision of this disclaimer is, or is found to be, void or unenforceable under applicable law, it will not affect the validity or enforceability of the other provisions of this disclaimer.